

FIT FOR JOB

**MEDICINE
HEALTHCARE
PHARMACY**



ABEBA®



CONTENT

Occupational shoes

4 THE ORIGINAL



5 THE ORIGINAL PLUS

6 ARROW

7 RUBBER

8 DYNAMIC

11 EASY

12 LIGHT

14 UNI6



18 AUTOCLAVABLE

Safety shoes

20 LIGHT

22 UNI6

24 ANATOM



26 CRAWLER

27 PROTEKTOR LINE

! INFORMATION
Most styles are also available in ESD-version

with  button

ORTHOPEDIC INSOLES

DGUV 112-191 (BGR 191)

ORTHOSTAT

With all orthopedic adaptation it has to be tested if the safety or occupational shoe still meets the requirements of the EN ISO 20345 or EN ISO 20347 standards. Together with the orthopedic specialist Doppler (www.doppler-online.com) we have developed the individually adaptable orthopedic insole ORTHOstat. By using this insole your shoes will remain certified according to EN ISO standard.

ORTHOstat®

**DGUV
112-191**



- | | |
|---|---------------------------------------|
| 1 Light and stays in shape | 5 Skin-friendly |
| 2 Anatomically shaped heel area | 6 Bedding of the metatarsal head area |
| 3 Longitudinal and transversal arch support | 7 Anatomically shaped pad |
| 4 ESD in combination with Abeba footwear | |

Note:

ABEBA styles also certified for Secosol® insoles.



ICONS



ESD



STEEL TOE-CAP



ALUMINIUM TOE-CAP



WASHABLE AT 30° C



WASHABLE AT 60° C



REPLACEABLE INSOLE



AUTOCLAVABLE



SUITABLE FOR HEEL AND FOOT LIFT



PENETRATION RESISTANCE



IDENTIFICATION ACCORDING TO STANDARD



CERTIFIED FOR ORTHOPEDIC INSOLES



the ORIGINAL

THE ORIGINAL



OB

A^{micro}

77021

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber white | insole microfiber | heel strap
foldable, adjustable | **non-slip TPU walking sole**



OB

A^{micro}

77031

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber black | insole microfiber | heel strap
foldable, adjustable | **non-slip TPU walking sole**



OB

A^{micro}

77020

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber white, perforated | insole microfiber | heel
strap foldable, adjustable | **non-slip TPU walking sole**



OB

A^{micro}

77030

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfiber black, perforated | insole microfiber |
heel strap foldable, adjustable | **non-slip TPU walking sole**





OB

 micro

7521

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 36-42 | microfiber white | heel patch microfiber | heel strap foldable, adjustable | **non-slip TPU walking sole**



OB

 micro

7531

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 36-42 | microfiber black | heel patch microfiber | heel strap foldable, adjustable | **non-slip TPU walking sole**



OB

 micro

7520

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 36-42 | microfiber white, perforated | heel patch microfiber | heel strap foldable, adjustable | **non-slip TPU walking sole**



! INFORMATION

 micro is an innovative high-tech material which is especially water-resistant and breathable. It even surpasses hydrophobic leather. It is washable up to 30°C without shrinking and anti-bacterial, which is making it perfect for the use in hygienic sensitive areas. Due to its special structure it is light and smooth but at the same time very tearproof and resistant.



Arrow

**OB**

Size 36-47

8300**OB**

Size 48-51

8302

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber white | heel patch microfiber | heel strap foldable, adjustable | **wide fit** | lightweight Mono-PU-sole

 micro**OB**

Size 36-47

8310**OB**

Size 48-51

8312

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfiber black | heel patch microfiber | heel strap foldable, adjustable | **wide fit** | lightweight Mono-PU-sole

 micro**OB****8400**

CE, EN ISO 20347:2012 OB, A, FO, SRA
Size 36-47 | smooth leather white | heel patch microfiber | lining microfiber, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep strap adjustable | **wide fit** | non-slip PU/PU walking sole



hexa4[®]
GRIP



rubber



hexa4[®]
GRIP



OB

A[®]micro

970111

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
Size 36-47 | microfiber white | heel patch microfiber |
midsole TPU | heel strap non foldable, adjustable | instep strap
adjustable | **non-slip hexa4GRIP-OUTSOLE**

hexa4[®]
GRIP



OB

A[®]micro

970119

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
Size 36-47 | microfiber black | heel patch microfiber |
midsole TPU | heel strap non foldable, adjustable | instep strap
adjustable | **non-slip hexa4GRIP-OUTSOLE**



OB

9150

CE, EN ISO 20347:2012 OB, A, FO, WRU, SRC
Size 36-47 | smooth leather navy blue | insole or heel patch leather |
heel strap non-foldable, adjustable | instep strap adjustable | non-slip
special rubber walking sole

A circular logo with a red border. Inside, the word "SPRING" is written in a bold, red, sans-serif font, and "2018" is written below it in a similar font. There are three small red stars above "SPRING" and one small red star below "2018".**OB**

7325

CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
Size 35-48 | knitted textile white, water-repellent | heel strap
foldable, adjustable | replaceable acc Wave insole (art. 3574) |
non-slip TPU walking sole

**OB**

7310

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white with pattern | heel strap foldable,
adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU
walking sole



OB

7320

CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
Size 35-43 | microfiber white with pattern | heel strap non-foldable,
adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU
walking sole



OB

7312

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/ blue with pattern | heel strap
foldable, adjustable | replaceable acc Wave insole (art. 3574) |
non-slip TPU walking sole





OB

7313

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | smooth leather white/ red with pattern | heel strap
 foldable, adjustable | replaceable acc Wave insole (art. 3574) |
 non-slip TPU walking sole



DGUV
112-191

NEW

Soft Comfort insole
 Art. 351012 optional
 insole for all „Dynamic“ styles



OB



7335

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | microfiber white/ black | seamless upper | heel strap
 non-foldable, adjustable | replaceable acc Wave insole (art. 3574) |
 non-slip TPU walking sole



DGUV
112-191



OB



7331

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | microfiber black/ blue | seamless upper | heel strap
 non-foldable, adjustable | replaceable acc Wave insole (art. 3574) |
 non-slip TPU walking sole



DGUV
112-191



OB



7332

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | microfiber black/ red | seamless upper | heel strap
 non-foldable, adjustable | replaceable acc Wave insole (art. 3574) |
 non-slip TPU walking sole



DGUV
112-191



OB




37333

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | microfiber black/ yellow | seamless upper | heel strap
 non-foldable, adjustable | replaceable acc Wave insole (art. 3574) |
 non-slip TPU walking sole



DGUV
112-191

DYNAMIC



OB

7360

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfiber white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole



OB

7363

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfiber grey/ red | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole



OB

7366

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfiber grey/ white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole



OB

7365

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfiber grey/ black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole



OB

7362

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfiber grey/ blue | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | non-slip TPU walking sole



NEW Soft Comfort insole
Art. 351012 optional
insole for all „Dynamic“ styles



NEW
Soft Comfort insole
 Art. 351012 optional
 insole for all „Dynamic“ styles



OB

7623

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | smooth leather white/ red | heel strap non-foldable,
 adjustable | replaceable acc Wave insole (art. 3573) | non-slip TPU
 walking sole



OB

A micro

7620

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | microfiber patent white | heel strap non-foldable,
 adjustable | replaceable acc Wave insole (art. 3573) | non-slip TPU
 walking sole



OB

A micro

7621

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | microfiber patent black | heel strap non-foldable,
 adjustable | replaceable acc Wave insole (art. 3573) | non-slip TPU
 walking sole



OB

7622

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | smooth leather white/ blue | heel strap non-foldable,
 adjustable | replaceable acc Wave insole (art. 3573) | non-slip TPU
 walking sole





OB

1130

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-48 | smooth leather white | lining with Silver Point | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | non-slip PU walking sole



OB

1135

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
Size 35-48 | smooth leather black | lining with Silver Point | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | non-slip PU walking sole



O2

1137

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



O2

1132

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



O2

1133

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



O2

1151

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | smooth leather white | temperature regulating lining **Comfortemp®** with mPCM-Technology | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole





light



02

 micro

1128

CE, EN ISO 20347:2012 O2, FO, SRA

Size 35-48 | microfiber white | lining with silver fibers | instep area with elastic band | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



02

 micro

1129

CE, EN ISO 20347:2012 O2, FO, SRA

Size 35-48 | microfiber black | lining with silver fibers | instep area with elastic band | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole



02

 micro

1126

CE, EN ISO 20347:2012 O2, FO, SRA

Size 35-48 | microfiber white | lining with silver fibers | replaceable acc Wave insole (art. 3559) | non-slip PU walking sole





01

micro

6795

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | microfiber white | lining microfiber, breathable, moisture absorbing | instep area with velcro fastening | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole



01

micro

6796

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | microfiber black | lining microfiber, breathable, moisture absorbing | instep area with velcro fastening | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole



02

micro

6740

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfiber white | lining with Silver Point | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole



02

micro

6741

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfiber black | lining with Silver Point | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole





NEW **WIDTH ADJUSTMENT**
Soft Comfort insole
 Art. 350113/ 350116
 optional insole for all „uni6“ styles

NEW



01

6724

CE, EN ISO 20347:2012 O1, FO, SRC*
 Size 35-43 | textile Paisley, water-repellent | lining with Silver Point
 | replaceable Soft Comfort insole (art. 350112) | non-slip TPU
 walking sole



* certification submitted

uni6



SPRING
2018



02

6772

CE, EN ISO 20347:2012 O2, FO, SRC*
 Size 35-48 | knitted textile white, water-repellent | lining with Silver
 Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU
 walking sole



NEW



02

6728

CE, EN ISO 20347:2012 O2, FO, SRC*
 Size 35-48 | textile black with pattern, water-repellent | lining with
 Silver Point | replaceable Soft Comfort insole (art. 350112) | non-
 slip TPU walking sole



NEW



02

micro

6766

CE, EN ISO 20347:2012 O2, FO, SRC*
 Size 35-43 | microfiber white with coloured lacing | lining with Silver
 Point | replaceable Soft Comfort insole (art. 350112) | **with white
 exchange laces** | non-slip TPU walking sole




01
6760

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | functional leather white with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole


02
6761

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole


01
6763

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | functional leather navy blue | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole


01
6762

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | functional leather blue with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole


02
6751

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather black | lining microfiber, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole


02
6750

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather white | lining microfiber, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | non-slip TPU walking sole





02

A[®] micro

6780

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber white | lining with Silver Point | replaceable
Soft Comfort insole (art. 350112) | non-slip TPU walking sole



02

A[®] micro

6783

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber grey/ red | lining with Silver Point |
replaceable Soft Comfort insole (art. 350112) | non-slip TPU wal-
king sole



02

A[®] micro

6785

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber grey/ black | lining with Silver Point |
replaceable Soft Comfort insole (art. 350112) | non-slip TPU wal-
king sole



02

A[®] micro

6782

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | microfiber grey/ blue | lining with Silver Point |
replaceable Soft Comfort insole (art. 350112) | non-slip TPU wal-
king sole



02

6771

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-48 | smooth leather black | lining with Silver Point |
reflective stripes | replaceable Soft Comfort insole (art. 350112) |
non-slip TPU walking sole



NEW **WIDTH ADJUSTMENT**
Soft Comfort insole
Art. 350113/ 350116
optional insole for all „uni6“ styles



AUTO-CLAVABLE



OB

9600

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material white | heel strap foldable, adjustable | autoclavable



OB

9610

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material blue | heel strap foldable, adjustable | autoclavable



OB

9620

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material green | heel strap foldable, adjustable | autoclavable



! INFORMATION

*Double sizes:

Please use size in bold when placing your order.

35/**36**, 37/**38**, 39/**40**,

41/**42**, 43/**44**, 45/**46**

! INFORMATION

To avoid any damages of the shoes please make sure they are not touching each other during the autoclaving process.



OB

9630

CE, EN ISO 20347:2012 OB, A, E, SRC
Double sizes* 35/**36** - 45/**46** | special material orange | heel strap foldable, adjustable | autoclavable





SAFETY SHOES





light

LIGHT



S2

1032

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



S2

1037

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



S2

micro

1029

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfiber black | lining with silver fibers | instep area with elastic band | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



S2

micro

1028

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfiber white | lining with silver fibers | instep area with elastic band | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



S2

micro

1026

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfiber white | lining with silver fibres | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole



S2

micro

1027

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfiber black | lining with silver fibres | replaceable acc Wave insole (art. 3557) | non-slip PU walking sole





light



S2

1033

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | smooth leather white | lining with silver ions |
reflective stripes | replaceable acc Wave insole (art. 3557) |
non-slip PU walking sole



S2

1038

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | smooth leather black | lining with silver ions |
reflective stripes | replaceable acc Wave insole (art. 3557) |
non-slip PU walking sole



S2

1024

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | smooth leather black | lining with Silver Point |
double velcro fastening | reflective stripes | replaceable acc Wave
insole (art. 3557) | non-slip PU walking sole



S2

1023

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | smooth leather white | lining with Silver Point | double
velcro fastening | reflective stripes | replaceable acc Wave insole
(art. 3557) | non-slip PU walking sole



NEW



S1

1724

CE, EN ISO 20345:2011 S1, FO, SRC*

Size 35-43 | textile Paisley, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



NEW



S2

micro

1766

CE, EN ISO 20345:2011 S2, SRC*

Size 35-43 | microfiber white with coloured lacing | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | **with white exchange laces** | non-slip TPU walking sole



SPRING
2018



S2

1772

CE, EN ISO 20345:2011 S2, SRC*

Size 35-48 | knitted textile white, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



NEW



S3

1628

CE, EN ISO 20345:2011 S3, SRC*

Size 35-48 | textile black with pattern, water-repellent | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | metal free penetration resistance | non-slip TPU walking sole



S2

1761

CE, EN ISO 20345:2011 S2, SRC

Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S1

1760

CE, EN ISO 20345:2011 S1, SRC

Size 35-48 | functional leather white with honeycomb pattern | water-repellent | scratch-resistant | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



NEW **WIDTH ADJUSTMENT**
Soft Comfort insole
 Art. 350123/ 350126
 optional insole for all „uni6“ styles



S2



1740

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | microfiber white | lining with Silver Point | instep area with elastic band | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S2



1741

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | microfiber black | lining with Silver Point | instep area with elastic band | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S2



1781

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | microfiber black | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S2



1785

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | microfiber grey/ black | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S2



1780

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | microfiber white | lining with Silver Point | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole



S2

1771

CE, EN ISO 20345:2011 S2, SRC
 Size 35-48 | smooth leather black | lining with Silver Point | reflective stripes | replaceable Soft Comfort insole (art. 350122) | non-slip TPU walking sole





anatom



SB

A[®]micro

2120

CE, EN ISO 20345:2011 SB, A, E, WRU, SRC
Size 36-52 | microfiber white | lining with silver fibres | heel strap
non-foldable, adjustable | instep strap adjustable, with elastic
band | replaceable acc Wave insole (art. 3582) | non-slip PU
walking sole



SB

A[®]micro

2125

CE, EN ISO 20345:2011 SB, A, E, WRU, SRC
Size 36-52 | microfiber black | lining with silver fibres | heel strap
non-foldable, adjustable | instep strap adjustable, with elastic
band | replaceable acc Wave insole (art. 3582) | non-slip PU
walking sole



S2

A[®]micro

2130

CE, EN ISO 20345:2011 S2, SRC
Size 36-52 | microfiber white | lining with silver fibres | instep
strap adjustable, with elastic band | replaceable acc Wave insole
(art. 3580) | non-slip PU walking sole





anatom



S2

A^{micro}

2131

CE, EN ISO 20345:2011 S2, SRC

Size 36-50 | microfiber white | lining with silver fibres | replaceable acc Wave insole (art. 3580) | non-slip PU walking sole



S3

A^{micro}

2281

CE, EN ISO 20345:2011 S3, SRC

Size 36-48 | microfiber black | **cold insulating** lining | triple velcro fastening | cushioned ankle support | reflective stripes | replaceable acc Wave insole (art. 3580) | metal free penetration resistance | non-slip PU walking sole



S3

A^{micro}

2280

CE, EN ISO 20345:2011 S3, SRC

Size 36-48 | microfiber white | **cold insulating** lining | triple velcro fastening | cushioned ankle support | reflective stripes | replaceable acc Wave insole (art. 3580) | metal free penetration resistance | non-slip PU walking sole





CRAWLER



SB

A[®]micro

4555

CE, EN ISO 20345:2011 SB, A, E, FO, SRC

Size 36-48 | microfiber white | scratch-resistant coating in toe area | breathable lining with Silver Point | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3579) | **aluminium toe-cap** | non-slip TPU walking sole



SB

A[®]micro

4556

CE, EN ISO 20345:2011 SB, A, E, FO, SRC

Size 36-48 | microfiber black | scratch-resistant coating in toe area | breathable lining with Silver Point | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3579) | **aluminium toe-cap** | non-slip TPU walking sole



S2

A[®]micro

4500

CE, EN ISO 20345:2011 S2, SRC

Size 36-48 | microfiber white/ grey | seamless upper | lining with Silver Point | reflective stripes | replaceable acc Wave insole (art. 3577) | **aluminium toe-cap** | non-slip TPU walking sole





S3

2232

CE, EN ISO 20345:2011 S3, SRC
Size 36-48 | smooth leather black | lining leather | double velcro fastening | penetration resistance | non-slip PU walking sole



S3

2230

CE, EN ISO 20345:2011 S3, SRC
Size 36-48 | smooth leather white | lining leather | double velcro fastening | penetration resistance | non-slip PU walking sole



S3

1645

CE, EN ISO 20345:2011 S3, SRC
Size 36-48 | smooth leather white | lining leather | triple velcro fastening | cushioned ankle support | reflective stripes | penetration resistance | non-slip PU walking sole



S3

1655

CE, EN ISO 20345:2011 S3, SRC
Size 36-48 | smooth leather black | lining leather | triple velcro fastening | cushioned ankle support | reflective stripes | penetration resistance | non-slip PU walking sole





WWW.ABEBA.COM

Your ABEBA distributor: